

LOW PRESSURE FITTINGS AND VALVES

THREADED FITTINGS

307

light nipple

Ref.	G x G
IR30720MON250	3/4" x 3/4"
IR30720MON320	1" x 1"



309

light cap

Ref.	G
IR30920FON250	3/4"
IR30920FON320	1"



607

nipple

Ref.	G x G
● IR60720MON200	1/2" x 1/2"
● IR60720MON250	3/4" x 3/4"
● IR60720MON320	1" x 1"
● IR60720MON400	1 1/4" x 1 1/4"
● IR60720MON500	1 1/2" x 1 1/2"
● IR60720MON630	2" x 2"
IR60720MON750	2 1/2" x 2 1/2"
IR60720MON900	3" x 3"
IR60720MON110	4" x 4"



609

cap - female thread

Ref.	G
● IR60920FON200	1/2"
● IR60920FON250	3/4"
● IR60920FON320	1"
● IR60920FON400	1 1/4"
● IR60920FON500	1 1/2"
● IR60920FON630	2"
IR60920FON750	2 1/2"
IR60920FON900	3"*
IR60920FON110	4"*



* with stainless steel reinforcement ring

610

male plug

Ref.	G
● IR61020MON200	1/2"
● IR61020MON250	3/4"
● IR61020MON320	1"
● IR61020MON400	1 1/4"



610

male plug

Ref.	G
● IR61020MON500	1 1/2"
● IR61020MON630	2"
IR61020MON750	2 1/2"
IR61020MON900	3"
IR61020MON110	4"



619

reduced nipple

Ref.	G x G
IR61920MON25B	3/4" x 1/2"
IR61920MON32B	1" x 1/2"
IR61920MON32C	1" x 3/4"
IR61920MON40B	1 1/4" x 1/2"
IR61920MON40C	1 1/4" x 3/4"
IR61920MON40D	1 1/4" x 1"
IR61920MON50B	1 1/2" x 1/2"
IR61920MON50C	1 1/2" x 3/4"
IR61920MON50D	1 1/2" x 1"
IR61920MON50E	1 1/2" x 1 1/4"
IR61920MON63B	2" x 1/2"
IR61920MON63C	2" x 3/4"
IR61920MON63D	2" x 1"
IR61920MON63E	2" x 1 1/4"
IR61920MON63F	2" x 1 1/2"
IR61920MON75G	2 1/2" x 2"
IR61920MON90H	3" x 2 1/2"
IR61920MON11I	4" x 3"



620

coupling

Ref.	G x G
● IR62020FON200	1/2" x 1/2"
● IR62020FON250	3/4" x 3/4"
● IR62020FON320	1" x 1"
● IR62020FON400	1 1/4" x 1 1/4"
● IR62020FON500	1 1/2" x 1 1/2"
● IR62020FON630	2" x 2"
IR62020FON750	2 1/2" x 2 1/2"*
● IR62020FON900	3" x 3"*
IR62020FON110	4" x 4"*



* with stainless steel reinforcement ring

● NPT thread available

621

reduced coupling

Ref.	G x G
● IR62120F0N20A	1/2" x 3/8"
● IR62120F0N25B	3/4" x 1/2"
● IR62120F0N32B	1" x 1/2"
● IR62120F0N32C	1" x 3/4"
● IR62120F0N40D	1 1/4" x 1"
● IR62120F0N50E	1 1/2" x 1 1/4"
● IR62120F0N63F	2" x 1 1/2"
IR62120F0N75G	2 1/2" x 2"*
IR62120F0N90H	3" x 2 1/2"*
IR62120F0N11I	4" x 3"*



* with stainless steel reinforcement ring

622

male/female reducer

Ref.	G x G
IR62220D0N20A	1/2" x 3/8"
IR62220D0N25B	3/4" x 1/2"
IR62220D0N32B	1" x 1/2"
● IR62220D0N32C	1" x 3/4"
IR62220D0N40C	1 1/4" x 3/4"
● IR62220D0N40D	1 1/4" x 1"
IR62220D0N50E	1 1/2" x 1 1/4"
IR62220D0N63F	2" x 1 1/2"



623

male/female bush

Ref.	G x G
● IR62320D0N20A	1/2" x 3/8"
● IR62320D0N25B	3/4" x 1/2"
● IR62320D0N32B	1" x 1/2"
● IR62320D0N32C	1" x 3/4"
● IR62320D0N40B	1 1/4" x 1/2"
● IR62320D0N40C	1 1/4" x 3/4"
● IR62320D0N40D	1 1/4" x 1"
● IR62320D0N50C	1 1/2" x 3/4"
● IR62320D0N50D	1 1/2" x 1"
● IR62320D0N50E	1 1/2" x 1 1/4"
● IR62320D0N63C	2" x 3/4"
● IR62320D0N63D	2" x 1"
● IR62320D0N63E	2" x 1 1/4"
● IR62320D0N63F	2" x 1 1/2"
IR62320D0N75G	2 1/2" x 2"
IR62320D0N90G	3" x 2"
IR62320D0N90H	3" x 2 1/2"
IR62320D0N11I	4" x 3"



625

male/female adaptor

Ref.	G x G
IR62520D0N20C	1/2" x 3/4"
IR62520D0N20D	1/2" x 1"
IR62520D0N20E	1/2" x 1 1/4"
IR62520D0N20F	1/2" x 1 1/2"
IR62520D0N25D	3/4" x 1"
IR62520D0N25E	3/4" x 1 1/4"
IR62520D0N25F	3/4" x 1 1/2"
IR62520D0N25G	3/4" x 2"
IR62520D0N32E	1" x 1 1/4"
IR62520D0N32F	1" x 1 1/2"
IR62520D0N32G	1" x 2"
IR62520D0N40F	1 1/4" x 1 1/2"
IR62520D0N40G	1 1/4" x 2"
IR62520D0N50G	1 1/2" x 2"



626

90° elbow - female thread

Ref.	G x G
● IR62620F0N200	1/2" x 1/2"
● IR62620F0N250	3/4" x 3/4"
● IR62620F0N320	1" x 1"
● IR62620F0N400	1 1/4" x 1 1/4"
● IR62620F0N500	1 1/2" x 1 1/2"
● IR62620F0N630	2" x 2"
IR62620F0N750	2 1/2" x 2 1/2"*
IR62620F0N900	3" x 3"*
IR62620F0N110	4" x 4"*



* with stainless steel reinforcement ring

627

90° m/f elbow

Ref.	G x G
IR62720D0N200	1/2" x 1/2"
IR62720D0N250	3/4" x 3/4"
IR62720D0N320	1" x 1"



LOW PRESSURE FITTINGS AND VALVES

THREADED FITTINGS

630

90° female tee

Ref.	G x G x G
● IR63020F0N200	1/2" x 1/2" x 1/2"
● IR63020F0N250	3/4" x 3/4" x 3/4"
● IR63020F0N320	1" x 1" x 1"
● IR63020F0N400	1 1/4" x 1 1/4" x 1 1/4"
● IR63020F0N500	1 1/2" x 1 1/2" x 1 1/2"
● IR63020F0N630	2" x 2" x 2"
IR63020F0N750	2 1/2" x 2 1/2" x 2 1/2"*
● IR63020F0N900	3" x 3" x 3"*
IR63020F0N110	4" x 4" x 4"*

* with stainless steel reinforcement ring



633

female cross

Ref.	G x G x G x G
● IR63320F0N630	2" x 2" x 2" x 2"
IR63320F0N900	3" x 3" x 3" x 3"*
IR63320F0N110	4" x 4" x 4" x 4"*

* with stainless steel reinforcement ring



605

90° male tee

Ref.	G x G x G
IR60520MON200	1/2" x 1/2" x 1/2"
IR60520MON20C	1/2" x 3/4" x 1/2"
IR60520MON250	3/4" x 3/4" x 3/4"
IR60520MON25D	3/4" x 1" x 3/4"
IR60520MON320	1" x 1" x 1"
IR60520MON32E	1" x 1 1/4" x 1"
IR60520MON400	1 1/4" x 1 1/4" x 1 1/4"
IR60520MON630	2" x 2" x 2"
IR60520MON750	2 1/2" x 2 1/2" x 2 1/2"
IR60520MON900	3" x 3" x 3"
IR60520MON110	4" x 4" x 4"



FSP

female adaptor with o-ring for tank

Ref.	G
IRFSP20D0N320	1"
IRFSP20D0N400	1 1/4"



507

male victaulic coupling

Ref.	G x G
IY50720D0N630	2" x 2"
IY50720D0N900	3" x 3"
IY50720D0N110	4" x 4"



BSN

victaulic/flanged connection kit

Ref.	D x G
IYFBSN0000080	dn 80 x 3"
IYFBSN0000100	dn 100 x 4"

